ELSEVIER

Nuclear Engineering and Design 166 (1996) 495–497

Nuclear Engineering and Design

# Contents of Volume 166

## CONTENTS OF ISSUE 166 (1)

**Engineering Mechanics**

The influence of damping and parameter uncertainty on seismic secondary response spectra: a random vibration approach
*David Key* 1

**Fuel Engineering**

Expansion by the introduction of new technology in a market characterized by overcapacity—the success of Urenco centrifuge technology
*P.C. Upson, S.J. Baker* 9

**Instrumentation and Control**

Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators
*Byung Hak Cho, Hee Cheon No* 17

**Materials Engineering**

Effects of hydrogen water chemistry on radiation field buildup in BWRs
*Chien C. Lin, F.R. Smith, R.L. Cowan* 31

Investigation on pre-oxidation of steels in light water reactor circuits
*R. Winkler, H. Barchmann, S. Oswald, A. John* 37

Evaluation of aseismic integrity in the HTTR core-bottom structure V. On the static and dynamic behavior of graphitic HTTR key–keyway structures
*M. Futakawa, S. Takada, H. Takeishi, T. Iyoku* 47

Behavior of reinforced-concrete-framed shear walls
*Y.L. Mo, J. Chan* 55

Effects of ductility on seismic response of piping systems and their implication on design and qualification
*A.M. Okeil, C.C. Tung* 69

Study on crack generation at root of socket welds
*K. Iida, F. Matsuda, M. Sato, M. Nayama, N. Akitomo* 85

Transient heating effect on high strength concrete
*A.N. Noumowe, P. Clastres, G. Debicki, J.-L. Costaz* 99

**Waste Management Technology and Dismantling**

Chernobyl—a solution for the clean up of highly contaminated forests and woodlands
*M. Dubourg* 109

## CONTENTS OF ISSUE 166 (2)

**Thermal-Hydraulics, Safety and Risk Analysis**

Two-phase countercurrent flow in a model of a pressurized water reactor hot leg
*Somchai Wongwises* 121

Numerical studies of multiphase mixing with application to some small-scale experiments
*D.F. Fletcher, P.J. Witt* 135

Debris interactions in reactor vessel lower plena during a severe accident I. Predictive model
*K.Y. Suh, R.E. Henry* 147

Debris interactions in reactor vessel lower plena during a severe accident II. Integral analysis
*K.Y. Suh, R.E. Henry* 165

Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents
*K. Kunitomi, S. Nakagawa, M. Shinozaki* 179

Heat transfer characteristics of horizontal steam generators under natural circulation conditions
*Juhani Hyvärinen* 191

Efficient uncertainity analyses using fast probability integration
*F.E. Haskin, B.D. Staple, C. Ding* 225

Flooding correlation based on the concept of hyperbolicity breaking in a vertical annular flow
*H.C. No, J.H. Jeong* 249

Phase segregation model and molten pool thermal-hydraulics during molten core-concrete interaction
*J.M. Seiler* 259

Dynamics of fission gas release from molten nuclear fuel
*O.V. Khoruzhii, S.Y. Kourtachatov, V.V. Likhanskii* 269

Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5/MOD3 computer code
*G.F. Yao, S.M. Ghiaasiaan, D.A. Eghbali* 277

## CONTENTS OF ISSUE 166 (3)

Regulatory view of containment integrity in the United Kingdom
*P.M. Bradford, C.M. Patchett* 297

Performance oriented and risk-based regulation for containment testing
*M. Dey* 305

Selected safety aspects of containments for nuclear power plants with WWER-440 reactors
*M.W. Jankowski, M.J. Kulig, A. Strupczewski, E.D. Balabanov* 311

Containment inservice inspection: where do we go from here?
*Robert F. Sammataro* 327

Some effects of pH on inorganic iodine volatility in containment
*C.B. Ashmore, J.R. Gwyther, H.E. Sims* 347

Iodine–steel reactions under severe accident conditions in light-water reactors
*F. Funke, G.-U. Greger, S. Hellmann, A. Bleier, W. Morell* 357

Aging management of containment structures in nuclear power plants
*D.J. Naus, C.B. Oland, B.R. Ellingwood, H.L. Graves III, W.E. Norris* 367

Concept study for a combined reinforced concrete containment
*G. Liersch, U. Peter, R. Danisch, M. Freiman, M. Hümmer, H. Röttinger, H. Hansen* 381

Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration
*H. Takeda, M. Kusabuka, K. Imoto, K. Takumi, M. Soejima* 389
Separate effects tests for GOTHIC condensation and evaporative heat transfer models
*T.L. George, A. Singh* 403
Analysis of the Phebus FPT0 containment thermal hydraulics with the Jericho and Trio-VF codes
*V.D. Layly, P. Spitz, S. Tirini, A. Mailliat* 413
GOTHIC code evaluation of alternative passive containment cooling features
*M. Gavrilas, P. Hejzlar, N.E. Todreas, M.J. Driscoll* 427
Phase doppler anemometer: commissioning tests for measurement of water aerosol sizes and velocities in flashing jets
*S.R. Mulpuru, R. Balachandar, M.H. Ungurian* 443
Combustion of stratified hydrogen–air mixtures in the 10.7 $m^3$ Combustion Test Facility cylinder
*D.R. Whitehouse, D.R. Greig, G.W. Koroll* 453
Modeling maximum flame speeds
*C.K. Chan, J.L. Loesel Sitar, R. Beauvais, F. Mayinger* 463
Modeling and analysis of hydrogen detonation events in the advanced neutron source reactor containment
*R.P. Taleyarkhan, V. Georgevich, S.H. Kim, S. Valenti, D.B. Simpson, W. Sawruk* 471
A study on the hydrogen recombination rates of catalytic recombiners and deliberate ignition
*F. Fineschi, M. Bazzichi, M. Carcassi* 481

Contents of Volume 166 495
Author Index of Volume 166 499
Subject Index of Volume 166 503
Instructions to Contributors 505